

# **C**OMPU- **V**IDEO **S**YSTEMS INC.


# CTS-2





COMPU-VIDEO SYSTEM'S **CTS-2** is a high performance 2x1 composite video sequential switcher. The switcher is designed to handle up to two high resolution color video sources and uses an external UL listed power supply to meet today's safety requirements.

## **KEY FEATURES**

- High Quality Video Performance
- Compact Size: 1.30"H x 4.5"W x 4.5"D
- Terminating: CTS-2
- Alarming: CATS-2
- UL Listed Power Supply
- High Quality Construction
- Made in the USA





## SPECIFICATIONS

### ELECTRICAL:

Power:	UL listed 12VDC power adapter (supplied)
Input Voltage:	13.5 to 18VDC isolated ground
Power Consumption:	1 watt

### VIDEO:

Input impedance:	75 ohms terminated
Output source impedance:	75 ohms
Max video input:	2vpp
Frequency Response:	15mHz +/- 0.7dB.
Gain:	Unity +/- 3%
Differential Gain:	<0.5%
Differential Phase error:	<0.5 degrees
Max H tilt:	<1%
Max V tilt:	<1%

### OPERATIONAL:

Switches:	3 position toggle switch
Indicators:	LED lamp for each input
Sequence interval:	Variable: 1 sec. to 90 sec.

### MECHANICAL:

Connectors:	BNC
Power Connector:	3.5 mm Phono, center positive
Height:	1.30"
Width:	4.50"
Depth:	4.50"

All specifications are subject to change without prior notification.

**C** OMPU-  
**V** IDEO  
**S** YSTEMS INC.